

Introduction to Python

For Loops

Topics

I) For Loops

Iteration

Iteration is a repeating portion of an algorithm. Iteration repeats a specified number of times or until a given condition is met.

If we want to ask the user to enter 5 numbers and sum them, it is repetitive to do this:

```
sum = 0
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
print(sum)
```

Iteration

Iteration is a repeating portion of an algorithm. Iteration repeats a specified number of times or until a given condition is met.

For example, if we want to print a message 5 times:

```
for i in range(5):  
    print("hi")
```

hi

hi

hi

hi

hi

Iteration

Iteration loops are frequently referred to as **for** loops because **for** is the keyword that is used to introduce them in nearly all programming languages, including Python.

Python's *for* loop iterates over items of a sequence(e.g. a list of numbers or a string(sequence of characters)) and process them with some code.

```
for x in sequence:  
    block
```

Lists

A list defines a sequence of ordered objects(integers, floats, strings, etc...). They can be defined with comma-separated values between square brackets.

We will discuss lists further in the next lecture.

```
# list of names(strings)
```

```
names = ["Mike", "Sarah", "Jack", "Mia"]
```

```
# list of scores(ints)
```

```
scores = [92, 83, 77]
```

```
# list of gpas(ints)
```

```
gpas = [3.1, 3.4, 2.7, 2.1, 3.8]
```

For Loops

Python's *for* loop iterates over items of a sequence(e.g. a list of numbers or a string(sequence of characters)) and process them with some code.

```
for x in sequence:  
    block
```

```
for x in [2,3,5,7]:  
    print(x, end=" ")    # ends each print with a space  
                        # print all on same line
```

2 3 5 7

For Loops

```
names = ["Mike", "Sarah", "Jack", "Mia"]
```

```
for name in names:
```

```
    print(name, end=" ")    # ends each print with a space
```

```
                            # print all on same line
```

Mike Sarah Jack Mia

For Each Loops

Since a string is a sequence of characters, a for loop can be used to iterate over the characters.

```
for x in "hello":  
    print(x)
```

h
e
l
l
o

Iterate through each character in the string.

range(stop)

range(stop): returns sequence of numbers from 0 (default) up to but not including stop. Increment by 1 (default).

range(5) generates [0, 1, 2, 3, 4]

range(100) generates [0, 1, 2, ..., 98, 99]

range(stop)

A simple use of a *for* loop runs some code a specified number of times using the *range()* function.

```
for i in range(5):  
    print(i, end=" ")
```

Think of range(5) as generating this list: [0, 1, 2, 3, 4].

0 | 2 3 4

The above code is equivalent to:

```
for i in [0, 1, 2, 3, 4]:  
    print(i, end=" ")
```

0 | 2 3 4

range(stop)

A simple use of a *for* loop runs some code a specified number of times using the *range()* function.

`range(stop)`: returns sequence of numbers from 0 (default) up to but not including stop. Increment by 1 (default).

```
for i in range(5):
```

```
    print(i, end=" ")
```



Think of `range(5)` as generating this list: `[0, 1, 2, 3, 4]`.

0 1 2 3 4

```
for i in range(10):
```

```
    print("hi", end=" ")
```

hi hi hi hi hi hi hi hi hi hi

range(start, stop)

range(start, stop): from start up to but not including stop. Increment by 1 (default).

```
for i in range(2, 8):  
    print(i, end=' ')
```

2 3 4 5 6 7


AP Exam

To perform a task n times, the AP exam use the following syntax.

Text:

```
REPEAT n TIMES  
{  
  <block of statements>  
}
```

Block:



Note: The above is equivalent to the following code in Python:

```
for i in range(n):  
    # block of statements  
...
```

Definite Iteration

The for loop is an example of a **definite iteration**. We can determine ahead of time the number of times the loop repeats. Later, we will talk about **indefinite iteration**, a loop where we cannot predict the number of times a loop repeats.

```
for i in range(5):  
    print("*", end="")  
  
*****
```

The loop above prints five '*'s. We can determine this ahead of time from the for loop statement.

Summing and Counting

There are two common tasks that uses for loops.

- 1) Summing
- 2) Counting

Summing Values

Write a segment of code that solve the problem

$$1 + 2 + 3 + \dots + 98 + 99 + 100.$$

We need a variable that accumulate the sum at each iteration of the loop. This variable should be initialized to 0.

```
sum = 0
for i in range(1, 101):
    sum = sum + i
```

Writing a function to sum

Now write a function that accepts a non-negative integer parameter n and returns the sum of integers from 1 to n (including).

```
def sum(n):  
    sum = 0  
    for i in range(1, n+1):  
        sum = sum + i  
    return sum
```

```
print(sum(5))    # 1+2+3+4+5=15  
a = sum(100)     # a = 5050  
print(a)         # 5050 is printed on console
```

Conditional Summing

Write a segment of code that compute the sum of all numbers from 1 to 100 that are multiples of 3. Loop but only sum if a certain condition is true.

```
sum = 0
```

```
for i in range(1, 101):  
    if i % 3 == 0:
```

```
        sum += i
```

Using augmented assignment



Counting

Write a function that accepts an integer parameter n and returns the number of factors of n .

```
def count_factors(n):  
    count = 0  
    for i in range(1, n+1):  
        if n % i == 0:          # i is a factor of n  
            count = count + 1  
    return count
```

```
print(count_factors(10))  # 4 (factors of 10 = {1,2,5,10})  
print(count_factors(7))  # 2 (factors of 7 = {1,7})
```

Counting Letters

There is another way to loop through letters of a string. Here's the second way to do the previous problem. Given a string, count the number of occurrences of the letter "A" or "a".

```
def countA(str):  
    count = 0  
    for letter in str:  
        if letter == "a" or letter == "A":  
            count = count + 1  
    return count
```

```
message = "abbA"  
print(countA(message)) # 2
```

Iteration

Let's use a for loop to rewrite the code at the beginning of this lecture.

If we want to ask the user to enter 5 numbers and sum them, it is repetitive to do this:

```
sum = 0
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
x = int(input("Enter number:"))
sum = sum + x
print("Sum:", sum)
```

For loop



```
sum = 0
for i in range(5):
    x = int(input("Enter number:"))
    sum = sum + x
print("Sum:", sum)
```

For Loop in Movies and TV-Shows

Movies:

Groundhog Day(1993); Bill Murray.

Looper(2010); Bruce Willis and Joseph Gordon-Levitt, Emily Blunt.

Edge of Tomorrow(2014); Tom Cruise, Emily Blunt.

Happy Death Day(2017).

TV-Show:

Russian Doll(Netflix, Emmy-Nominated)

Lab I

Create a new repl on repl.it.

Write a **for loop** to do each of the following:

- 1) Print out "Hello!" 10 times, each on a different line.
- 2) Alternate between printing "Hello" and "Hi" for a total of 20 times, each on a separate line. Use only one for loop. (Hint: Use a conditional)
- 3) Print 1 4 9 16 25 ... 100
- 4) Print 10 8 6 4 2 0 -2
- 5) Compute the sum: $1^2 + 2^2 + 3^2 + 4^2 + \dots + 19^2 + 20^2$

Lab 2: Counting Primes

Create a new repl.

- 1) Rewrite the function `count_factors` as explained in a previous slide.
- 2) A number n is prime if its only factors are 1 and n . Write the function `is_prime` which accepts an integer n and returns whether it is prime. Note that 1 is not prime. **You must call the function `count_factors` in your implementation of `is_prime`.**

`is_prime(13)` returns True

`is_prime(1245)` returns False

- 3) Write the function `num_primes` which accepts an integer n and returns the number of primes up to and including n . **You must call the function `is_prime` in your implementation.**

`num_prime(11)` returns 5 since 2, 3, 5, 7, 11 are the 5 prime numbers less than or equal to 11.

Call the three above functions with different inputs and make sure that your functions work as expected.

References

- I) Vanderplas, Jake, A Whirlwind Tour of Python, O'reilly Media.